



# CERTIFICATE OF CONFORMITY

CERT NO: 167903A

## CONTAMINANT

|  |               |                         |                                       |
|--|---------------|-------------------------|---------------------------------------|
| DIAMETER   | 4.0mm         | STANDARD OF MANUFACTURE | ISO 3290 International                |
| MATERIAL   | TEFLON - PTFE | DENSITY                 | 2.14 – 2.20kg/ltr<br>2.14 – 2.20g/cm3 |
| GRADE  | GII           | HEAT NO                 | -                                     |
| QUANTITY PURCHASED   | 500           | BATCH NUMBER            | 16070501                              |
| MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS |               |                         |                                       |

## CHEMICAL AND TEST DATA OF CONTAMINANT

|         |     |        |        |     |         |
|---------|-----|--------|--------|-----|---------|
| Shore-D | SHD | 60.000 | TEFLON | PTF | 100.000 |
|---------|-----|--------|--------|-----|---------|

## MANUFACTURE OF TEST PIECE DECLARATION

We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA
- The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOSING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive 10/2011/EC and FDA 177.1520

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

|                |                            |                |                         |
|----------------|----------------------------|----------------|-------------------------|
| Signature      | <i>Glenn Griffiths</i>     | Signature      | <i>Adam Bazeley</i>     |
| Name and Title | GLENN GRIFFITHS – DIRECTOR | Name and Title | ADAM BAZELEY - DIRECTOR |
| Date           | 14.06.2017                 | Date           | 14.06.2017              |

The date on the Certificate of Conformity relates to when the contaminants or Spheres were delivered to Mediumz Ltd.

This cannot be altered as it allows traceability for Audit purposes.

# CERTIFIED TEST PIECES

CERTIFICATE OF CONFORMITY

CERT NO: 167903A

## CONTAMINANT

|  |               |                         |                                       |
|--|---------------|-------------------------|---------------------------------------|
| DIAMETER   | 4.0mm         | STANDARD OF MANUFACTURE | ISO 3290 International                |
| MATERIAL   | TEFLON - PTFE | DENSITY                 | 2.14 – 2.20kg/ltr<br>2.14 – 2.20g/cm3 |
| GRADE  | GII           | HEAT NO                 | -                                     |
| QUANTITY PURCHASED   | 500           | BATCH NUMBER            | 16070501                              |
| MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS |               |                         |                                       |

## CHEMICAL AND TEST DATA OF CONTAMINANT

|         |     |        |        |     |         |
|---------|-----|--------|--------|-----|---------|
| Shore-D | SHD | 60.000 | TEFLON | PTF | 100.000 |
|---------|-----|--------|--------|-----|---------|

## MANUFACTURE OF TEST PIECE DECLARATION

We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA
- The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOSING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive10/2011/EC and FDA 177.1520

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

|                |                        |                |                     |
|----------------|------------------------|----------------|---------------------|
| Signature      | <i>Glenn Griffiths</i> | Signature      | <i>Adam Bazeley</i> |
| Name and Title | GLENN GRIFFITHS        | Name and Title | ADAM BAZELEY        |
| Date           | 14.06.2017             | Date           | 14.06.2017          |

The date on the Certificate of Conformity relates to when the contaminants or Spheres were Purchased.

This cannot be altered as it allows traceability for Audit purposes.