



# CERTIFICATE OF CONFORMITY

CERT NO : 172708C

## CONTAMINANT

DIAMETER	7.5mm	STANDARD OF MANUFACTURE	ISO 3290 International
MATERIAL	AISI Stainless Steel JIS SUS 316	DENSITY	8.027 kg/ltr = 8.027 g/cm3
GRADE	100	HEAT NO	131004C07
QUANTITY PURCHASED	1400	BATCH NUMBER	1401230141

MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS (Annealed and Passivated)

## CHEMICAL AND TEST DATA OF CONTAMINANT

Carbon WT %	C	0.039	Chrome %	Cr	16.500
Sillicum %	Si	0.350	Nickel %	Ni	10.170
Manganese %	Mn	1.080	Molibdeno %	Mo	2.050
Phosphorus %	P	0.036	Hardness	HRc	25.000
Sulphur %	S	0.002	Hardness	HRc	39.00

## MANUFACTURE OF TEST PIECE DECLARATION

We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA
- The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOISING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive10/2011/EC and FDA 177.1520

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

Signature	<i>Glenn Griffiths</i>	Signature	<i>Adam Bazeley</i>
Name and Title	GLENN GRIFFITHS – DIRECTOR	Name and Title	ADAM BAZELEY - DIRECTOR
Date	11.08.2017	Date	11.08.2017

The date on the Certificate of Conformity relates to when the contaminants or Spheres were delivered to Mediumz Ltd.

This cannot be altered as it allows traceability for Audit purposes.

# CERTIFIED TEST PIECES

CERTIFICATE OF CONFORMITY

CERT NO : 172708C

## CONTAMINANT

DIAMETER	7.5mm	STANDARD OF MANUFACTURE	ISO 3290 International
MATERIAL	AISI Stainless Steel JIS SUS 316	DENSITY	8.027 kg/ltr = 8.027 g/cm <sup>3</sup>
GRADE	100	HEAT NO	131004C07
QUANTITY PURCHASED	1400	BATCH NUMBER	1401230141
MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS (Annealed and Passivated)			

## CHEMICAL AND TEST DATA OF CONTAMINANT

Carbon WT %	C	0.039	Chrome %	Cr	16.500
Sillicum %	Si	0.350	Nickel %	Ni	10.170
Manganese %	Mn	1.080	Molibdeno %	Mo	2.050
Phosphorus %	P	0.036	Hardness	HRc	25.000
Sulphur %	S	0.002	Hardness	HRc	39.00

## MANUFACTURE OF TEST PIECE DECLARATION

We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA
- The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOSING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive10/2011/EC and FDA 177.1520

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

Signature	<i>Glenn Griffiths</i>	Signature	<i>Adam Bazeley</i>
Name and Title	GLENN GRIFFITHS	Name and Title	ADAM BAZELEY
Date	11.08.2017	Date	11.08.2017

The date on the Certificate of Conformity relates to when the contaminants or Spheres were Purchased

This cannot be altered as it allows traceability for Audit purposes.