



# CERTIFICATE OF CONFORMITY

CERT NO : 210427B

## CONTAMINANT

|  |   |                         |                          |
|--|---|-------------------------|--------------------------|
| DIAMETER   | 1.8mm   | STANDARD OF MANUFACTURE | ISO 3290 International   |
| MATERIAL   | Ferrous – Chrome Steel<br>AISI 52100 - 100CR6 | DENSITY                 | 7.833kg/ltr = 7.833g/cm3 |
| GRADE  | 100   | HEAT NO                 | 0710311438               |
| QUANTITY PURCHASED   | 5000  | BATCH NUMBER            | 0910170174               |
| MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS |   |                         |                          |

## CHEMICAL AND TEST DATA OF CONTAMINANT

|              |     |        |          |    |       |
|--------------|-----|--------|----------|----|-------|
| Carbon WT    | C   | 1.000  | Chrome % | Cr | 1.510 |
| Sillicum     | Si  | 0.250  | Nickel % | Ni | 0.070 |
| Manganese %  | Mn  | 0.310  |          |    |       |
| Phosphorus % | P   | 0.012  |          |    |       |
| Sulphur %    | S   | 0.002  |          |    |       |
| Hardness     | HRC | 60 -66 |          |    |       |

## MANUFACTURE OF TEST PIECE DECLARATION

We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA
- The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOSING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive10/2011/EC and FDA 177.1520

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

|                |                            |                |                         |
|----------------|----------------------------|----------------|-------------------------|
| Signature      | <i>Glenn Griffiths</i>     | Signature      | <i>Adam Bazeley</i>     |
| Name and Title | GLENN GRIFFITHS – DIRECTOR | Name and Title | ADAM BAZELEY - DIRECTOR |
| Date           | 25.06.2018                 | Date           | 25.06.2018              |

The date on the Certificate of Conformity relates to when the contaminants or Spheres were Purchased by Mediumz.

This cannot be altered as it allows traceability for Audit purposes.

# CERTIFIED TEST PIECES

CERTIFICATE OF CONFORMITY

CERT NO : 210427B

## CONTAMINANT

|                    |   |                         |                          |
|--------------------|---|-------------------------|--------------------------|
| DIAMETER           | 1.8mm   | STANDARD OF MANUFACTURE | ISO 3290 International   |
| MATERIAL           | Ferrous – Chrome Steel<br>AISI 52100 - 100CR6 | DENSITY                 | 7.833kg/ltr = 7.833g/cm3 |
| GRADE              | 100   | HEAT NO                 | 0710311438               |
| QUANTITY PURCHASED | 5000  | BATCH NUMBER            | 0910170174               |

MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS

## CHEMICAL AND TEST DATA OF CONTAMINANT

|              |     |        |          |    |       |
|--------------|-----|--------|----------|----|-------|
| Carbon WT    | C   | 1.000  | Chrome % | Cr | 1.510 |
| Sillicum     | Si  | 0.250  | Nickel % | Ni | 0.070 |
| Manganese %  | Mn  | 0.310  |          |    |       |
| Phosphorus % | P   | 0.012  |          |    |       |
| Sulphur %    | S   | 0.002  |          |    |       |
| Hardness     | HRC | 60 -66 |          |    |       |

## MANUFACTURE OF TEST PIECE DECLARATION

We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA
- The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOSING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive10/2011/EC and FDA 177.1520

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

|                |                        |                |                     |
|----------------|------------------------|----------------|---------------------|
| Signature      | <i>Glenn Griffiths</i> | Signature      | <i>Adam Bazeley</i> |
| Name and Title | GLENN GRIFFITHS        | Name and Title | ADAM BAZELEY        |
| Date           | 25.06.2018             | Date           | 25.06.2018          |

The date on the Certificate of Conformity relates to when the contaminants or Spheres were Purchased.

This cannot be altered as it allows traceability for Audit purposes.